

WIZARD 550 LCD Digital Readouts

The Clear Choice.



Intuitive, operator-friendly keypad with machine-specific software and easy-to-read flat-screen LCD display.



ANILAM[®]

The Clear Choice.





The ANILAM WIZARD 550 features exclusive LCD display screen technology and versatile software to accommodate milling, turning or grinding applications – all with the same bright, clear readout. Plus, a content-sensitive help function assists you in troubleshooting any difficulty.

All ANILAM products are designed and manufactured in ANILAM's ISO 9001 certified facility. They are designed to UL/CSA/CE specifications and are backed by a 3-year Warranty.

ANILAM maintains a strong worldwide authorized distribution network of fully trained and qualified personnel to provide quality sales and service support. ANILAM's authorized distribution network is readily available to provide prompt delivery, thorough product training and skilled technical service.



WIZARD 550 for Milling Applications.




Updated, state-of-the-art features for milling at an affordable price.

- > Bolthole pattern calculations with graphics (full and partial circles)
- > Centerline calculation enables you to establish workpiece zero and midpoints
- > 16 tool offsets/diameter
- > 2- or 3-axes LCD display
- > Preset and zero reset
- > Near-zero warning
- > Instant inch/mm conversion
- > Linear and non-linear error compensation
- > Electronic edge finder input
- > Position-Trac™ – a unique feature that lets you easily, quickly and accurately reestablish workpiece zero after power loss

It's user-friendly.


WIZARD 550 for Turning Applications.



The ultimate in efficiency and productivity for turning applications utilizing state-of-the-art features.

- > 16 Tool Offsets for easy compensation of different tool sizes
- > Lock Axis feature, used in conjunction with tool offsetting, lets you establish tool offsets with the tool under load, resulting in reduced tool deflection
- > Instant radius/diameter conversion reduces math errors and allows you to machine to print dimensions
- > Position-Trac™ – a unique feature that lets you easily, quickly and accurately reestablish workpiece zero after power loss
- > 2- or 3-axes LCD display
- > Preset and zero reset
- > Near-zero warning
- > Instant inch/mm conversion
- > Linear and non-linear error compensation

WIZARD 550 for Grinding and General Purpose Applications.



Increase the accuracy of grinding and general purpose applications with efficient and productive features.

- > 2- or 3-axes LCD display
- > Preset and zero reset
- > Near-zero warning
- > Instant radius/diameter conversion to reduce math errors and allow you to machine to print dimensions
- > Position-Trac™ – a unique feature that lets you easily, quickly and accurately reestablish workpiece zero after power loss
- > Absolute/incremental display
- > Instant inch/mm conversion
- > Linear and non-linear error compensation

And it's versatile.


Go to www.anilam.com for more information. Or call **800-344-2311**.



Made in USA

WIZARD 550 Features/Technical Data

| | |
|------------------------------------|--|
| Display | 2- or 3-axes 5.7" transmissive LCD display |
| Common Functions | <ul style="list-style-type: none"> • Near-zero warning • Help function • 16 tool offsets / diameter • Preset and zero reset • 4 function calculator / Trig calculator • Instant inch/mm conversion • Position-Trac™ |
| Milling Specific Functions | <ul style="list-style-type: none"> • Bolthole pattern calculations with graphics (full and partial circles) • Centerline calculation enables you to establish workpiece zero and midpoints • Edge finder input |
| Turning/General Specific Functions | <ul style="list-style-type: none"> • Lock axis feature • Instant radius / diameter conversion • Taper calculator |
| Error Compensation | Linear and non-linear compensation up to +/-9,999 ppm |
| Construction | Die-cast metal |
| Data Interface | RS-232-C/V.24 serial port |
| Electrical Requirements | Voltage of 100-240 Vac Power of 30 VA max Frequency of 50/60 Hz (+/-3Hz) |
| Operating Temperature | 0 degrees to 45 degrees C (32 degrees to 113 degrees F) |
| Storage Temperature | -20 degrees to 70 degrees C (-22 degrees to 158 degrees F) |
| Weight | 4.85 lbs. |
| Certifications | ISO-9001, UL, CSA, CE |



Precision Glass Scales.

With more than one million scales in use today, ANILAM precision glass scales withstand the elements of contamination found in even the harshest machine shop environments.

As a result, our precision glass scales resist changes in size, shape or density due to temperature and humidity variations. This stability provides exceptional accuracy down to $\pm 1.5\mu\text{m}$ (.00006"), resulting in tighter workpiece tolerances. ANILAM precision glass scales are available in travel lengths from 1"-773" and in resolutions from $0.5\mu\text{m}$ (.00002") to $10\mu\text{m}$ (.0005").

ANILAM USA

One Precision Way
Jamestown, NY 14701
Tel: 800.344.2311
Fax: 716.661.1884
Web: www.anilam.com
E-mail: anilaminc@anilam.com

ANILAM USA - West Coast

16312 Garfield Avenue, Unit B
Paramount, CA 90723
Tel: 562.634.5421
Fax: 562.634.5459
Web: www.anilam.com
E-mail: anilaminc@anilam.com

ANILAM®

THE CLEAR CHOICE.

P.N. 73000-231 Rev. 04/06



ANILAM IS AN
ISO 9001
CERTIFIED
MANUFACTURER

